

# TENNESSEE

Office of the State Fire Marshal Address: (Mailing)

TN Department of Commerce and Insurance – Fire Prevention Division – Permits & Licensing

Davy Crockett Tower – 500 James White Parkway

Nashville, TN 37243-0565

Tel: 615-741-1322

Fax: 615-741-1583

Web Address of State Fire Marshal: [www.tn.gov/fire](http://www.tn.gov/fire)

State Fireworks Codes Referenced (ie NFPA 1123 / 1124) NFPA 1123 / 1126 / 160

## State Fireworks Requirements

- Public Display License Required (Yes or No) If Yes, is there a fee? Yes, \$50. If submitted <10 days prior \$100
- Commercial General Liability Insurance Coverage (Min per occurrence) \$1M
- HazMat Transportation Insurance – DOT Compliant (1.4 – \$1M / 1.3 \$5M) \$1 M
- State Transportation Permit Required (Yes or No)
- Worker Compensation Insurance – Statutory or Other. Yes, \$1M. Statutory 1YR
- Import/Export License to bring products into the state (Yes or No) If Yes, is there a fee?
- Wholesale License to purchase or sell products in the state (Yes or No) If Yes, is there a fee? Yes
- Registration of individuals authorized to represent License holder in the state (Yes or No)
- Permit from Local AHJ for each display (Yes or No) – Yes, fee dependent upon location
- Permit Filing Period for Local: How many days prior? Varies
- Permit Filing Period for State: How many days? \$50. If submitted <10 days prior \$100
- State Bond Required (Yes or No)

## State Pyrotechnic Operator Requirements

- Minimum Age: 21
- Minimum of Documented displays: 3 per certification
- Minimum Experience: 3 shows per certification
- Letters of Recommendation (Yes or No) If Yes, How many and from whom – 3 per certification from lead technician on show
- Written Test Required (Yes or No) If Yes, how often? - Once unless license expires
- Minimum Passing Score: - 75
- New Operator License Fee (\$ Amount) - \$100 per certification applying for
- Renewal Operator License Fee (\$ Amount) - \$100 per certification renewing
- Renewal Period for Licensed Operator – 2 Years

**Other:**